

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: PURExpress® In Vitro Protein Synthesis Kit

Catalog Number: E6800S
Packaging Lot Number: 10174077
Expiration Date: 12/2024
Storage Temperature: -80°C

Specification Version: PS-E6800S/L v2.0

PURExpress® In Vitro Protein Synthesis Kit Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
P0760AVIAL	PURExpress® Solution B	10173157	Pass	
N0424AVIAL	PURExpress Control DHFR Plasmid	10137950	Pass	
B0228AVIAL	PURExpress Solution A	10173158	Pass	

Assay Name/Specification	Lot # 10174077
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in PURExpress® In Vitro Protein Synthesis Kit and meet the designated specifications.	
Functional Testing (Cell Free Protein Synthesis Assay) (Vent DNA Polymerase A 25 µl reaction in the presence of 250 ng Vent DNA Polymerase template DNA and 20 units RNase Inhibitor containing the components of the PURExpress® In Vitro Protein Synthesis Kit incubated for 2 hours at 37°C results in the expected 89 kDa product as determined by SDS-PAGE with Coomassie Blue detection.	Pass
Functional Testing (Cell Free Protein Synthesis Assay) (galactosidase) A 25 μl reaction in the presence of 250 ng β-galactosidase template DNA and 20 units RNase Inhibitor containing the components of the PURExpress® In Vitro Protein Synthesis Kit incubated for 2 hours at 37°C results in the expected 116 kDa product as determined by SDS-PAGE with Coomassie Blue detection.	Pass
Functional Testing (Cell Free Protein Synthesis Assay) (DHFR) A 25 µl reaction in the presence of 250 ng PURExpress® Control DHFR Plasmid and 20 units RNase Inhibitor containing the components of the PURExpress® In Vitro Protein Synthesis Kit incubated for 2 hours at 37°C results in the expected 20 kDa product as determined by SDS-PAGE with Coomassie Blue detection.	Pass

This product has been tested and shown to be in compliance with all specifications.



E6800S / Lot: 10174077

Page 1 of 2

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Brad Landgraf Production Scientist

06 Dec 2022

Michael Tonello

Packaging Quality Control Inspector

07 Dec 2022

E6800S / Lot: 10174077

Page 2 of 2