

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Globin & rRNA Depletion Kit (Human/Mouse/Rat)

Catalog Number: E7750S
Packaging Lot Number: 10209902
Expiration Date: 04/2025
Storage Temperature: -20°C

Specification Version: PS-E7750S/L/X v1.0

NEBNext® Globin & rRNA Depletion Kit (Human/Mouse/Rat) Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
E7753-2VIAL	NEBNext® DNase I	10209906	Pass	
E7752-2VIAL	NEBNext® Thermostable RNase H	10209908	Pass	
E7751-2VIAL	NEBNext® Globin & rRNA Depletion Solution	10209909	Pass	
E6317-2VIAL	Nuclease-free Water	10209913	Pass	
E6315-2VIAL	DNase I Reaction Buffer	10209912	Pass	
E6314-2VIAL	NEBNext® Probe Hybridization Buffer	10209914	Pass	
E6312-2VIAL	RNase H Reaction Buffer	10209911	Pass	

Assay Name/Specification	Lot # 10209902
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
Globin & rRNA Depletion Kit (Human/Mouse/Rat) and meet the designated	
specifications.	
Functional Testing (Globin and rRNA Depletion)	Pass
The NEBNext® Globin & rRNA Depletion Kit (Human/Mouse/Rat) is functionally validated	1 433
using commercially available human RNA extracted from blood. After treatment with	
the kit, a high throughput sequencing library is made and sequenced. Reads from this	
library are classified as being derived from ribosomal RNA based on sequence	
homology. This method produces libraries with less than 10% rRNA and less than 5%	
globin RNA.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E7750S / Lot: 10209902 Page 1 of 2

Christine Sumner Production Scientist 06 Nov 2023

Josh Hersey Packaging Quality Control Inspector

31 Jan 2024



E7750S / Lot: 10209902

Page 2 of 2