

www.neb.com info@neb.com



## New England Biolabs Certificate of Analysis

Product Name: mRNA Cap 2'-O-Methyltransferase

Catalog Number: M0366S
Concentration: 50,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to methylate 10

pmoles of 80 nt long capped RNA transcript in 1 hour at 37°C.

Packaging Lot Number: 10228769
Expiration Date: 12/2025
Storage Temperature: -20°C

Storage Conditions: 100 mM NaCl , 20 mM Tris-HCl (pH 8.0), 1 mM DTT , 0.1 mM EDTA , 50 %

Glycerol , 0.1 % Triton®X-100

Specification Version: PS-M0366S v1.0

mRNA Cap 2'-O-Methyltransferase Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
M0366SVIAL	mRNA Cap 2'-O-Methyltransferase	10225344	Pass	
B9003SVIAL	S-adenosylmethionine (SAM)	10210241	Pass	
B2080AVIAL	10X Capping Buffer	10228128	Pass	

Assay Name/Specification	Lot # 10228769
Endonuclease Activity (Nicking) A 50 μl reaction in Capping Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 50 units of mRNA Cap 2'-O-Methyltransferase incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in Capping Buffer containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 50 units of mRNA Cap 2'-O-Methyltransferase incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Protein Purity Assay (SDS-PAGE) mRNA Cap 2'-O-Methyltransferase is ≥ 99% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA	Pass



M0366S / Lot: 10228769

Page 1 of 2



Assay Name/Specification	Lot # 10228769
and a minimum of 50 units of mRNA Cap 2'-O-Methyltransferase is incubated at 37°C.  After incubation for 4 hours, >90% of the substrate RNA remains intact as determined	
by gel electrophoresis using fluorescent detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Jessica Cane Production Scientist 11 Jan 2024 Michael Tonello

Packaging Quality Control Inspector

14 Feb 2024