

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: 1 kb Plus DNA Ladder

Catalog Number:N3200SConcentration:1,000 μg/mlLot Number:10049938Expiration Date:06/2021Storage Temperature:-20°C

Specification Version: PS-N3200S/L v2.0

1 kb Plus DNA Ladder Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
N3200SVIAL	1 kb Plus DNA Ladder	10047820	Pass	
B7025SVIAL	Gel Loading Dve. Purple (6X), no SDS	10038961	Pass	

Assay Name/Specification	Lot # 10049938
A260/A280 Assay	Pass
The ratio of UV absorption of 1 kb Plus DNA Ladder at 260 and 280 nm is between 1.8 and 2.0.	
DNA Concentration (A260)	Pass
The concentration of 1 kb Plus DNA Ladder is between 1000 and 1050 μg/ml as determined by UV absorption at 260 nm.	
Electrophoretic Pattern (Marker)	Pass
The banding pattern of 1 kb Plus DNA Ladder on a 1.2% agarose gel shows discrete, clearly identifiable bands at each band of the marker, when stained with Ethidium	
Bromide at a concentration of 0.5 µg/ml.	
Non-Specific DNase Activity (DNA, 16 hour)	Pass
A 50 µl reaction in 1X NEBuffer 2 containing 5 µg of 1 kb Plus DNA Ladder incubated	
for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.



N3200S / Lot: 10049938

Page 1 of 2

Production Scientist 19 Apr 2019 Michael Tonello

Packaging Quality Control Inspector

23 Jul 2019